



UL VERIFICATION SERVICES INC.

SOFTLINES TESTING LABORATORY • 2601 SE OTIS CORLEY DRIVE • BENTONVILLE, AR 72712
PHONE: (479) 286-2300 • FAX: (479) 286-2301 • BEN.Softlines.Customer.Service@crs.ul.com

Evaluation of Test Results

Lab Report No: ARSL2676556

Issue Date: April 26, 2023

Item Description: Mp 1500 Thread Count Cotton Blend Sheet Set



Rating: **Pass**

CLIENT: E&E Co Ltd

BUYER: Supplier Testing

DEPARTMENT: Not Applicable

BRAND: Madison Park (National)

ORDER TYPE: Domestic

SOURCING OFFICE: Not Applicable

TEST TYPE: Supplier Only-Limited Testing

VENDOR STOCK NUMBER: MP20-4850

REASON FOR TESTING: Evaluation of thread count

COUNTRY OF ORIGIN: India

SUPPLIER NAME: E&E Co Ltd

HOST VENDOR NUMBER: 444096

SUPPLIER ID: 28009219

FACTORY NAME: Not Applicable

FACTORY NUMBER: Not Applicable

CHILDREN'S PRODUCT: No

*** Please see the following pages for additional item information ***

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim.

For Reports / Certificates, refer to the UL VS Terms and Conditions.

Decision Rule: the declaration of conformity is given not taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issue by UL Solutions does not take in consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory,

ADDITIONAL SAMPLE INFORMATION

SIZE(S)	COLOR(S)
Queen	Silver Grey
PO NUMBER(S)	
Not Applicable	
UPC CODE(S)	
08656989743	
ITEM NUMBER(S)	
Not Applicable	
APPLICATION ID	FABRIC CONSTRUCTION
6021334	Woven

UL VERIFICATION SERVICES INC.



Abdel Rodriguez

CLIENT SERVICES MANAGER

UL VERIFICATION SERVICES INC.



Dawnell Smith

OPERATIONS MANAGER

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim.

For Reports / Certificates, refer to the UL VS Terms and Conditions.

Decision Rule: the declaration of conformity is given not taking into account the measurement uncertainty.
Level of risk associated with the Decision Rule: The results issue by UL Solutions does not take in consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory,



MADISON PARK®
1500 THREAD COUNT
COTTON BLEND SHEET SET

MADISON PARK®
51% COTTON / 49% POLYESTER
MADE IN INDIA
RN 91519

Queen King Cal King

51% Cotton, 49% Polyester

Machine washable.

Please see care label for washing instructions.

MP20-4850



Made in India | RN 91519

ALPHACOTTON® U.S. Patent #9,481,950 B2, Patent #9,708,737 B2,
Patent #9,493,892 B1, Patent #9,131,790 B2, Factory ID #100531

Wash before use
Machine wash warm
Separately with like colours
Use non chlorine bleach
When needed
Tumble dry on low heat
Remove promptly
to avoid wrinkles

LABELING		
	RATING	COMMENTS
Country of origin (required by FTC or U.S. Customs Regulations 19 CFR Part 134 if imported)	P	
Manufacturer's Identification (required by FTC or Customs) Date Code: _____ --- _____	P	
Fiber content (required by FTC)	P	
Care instructions Written / Symbols (as defined in ASTM 3136 / ASTM D 5489)	P	
<u>Label Claims:</u> Verification performed substantiating the following label claim(s): <i>Thread Count 1500</i>	P	
LABELED CARE INSTRUCTIONS:		
<i>Wash before use. Machine wash warm separately with like colors. Use non-chlorine bleach when needed. Tumble dry on low heat. Remove promptly to avoid wrinkles.</i>		

THREAD COUNT (WOVEN)					
TEST CONDUCTED	ACTUAL	SPECIFIED	DIFFERENCE (±)	REQUIRED TOLERANCE (%)	RATING
THREAD COUNT (WOVEN) - ASTM D 3775 <i>Silver Grey</i>					
<i>ENDS:</i>	<i>205</i>	---	---	5%	P
<i>PICKS:</i>	<i>1240</i>	---	---		
<i>TOTAL THREAD COUNT:</i>	<i>1445</i>	1500	-3.67%		