



UL VERIFICATION SERVICES INC.

SOFTLINES TESTING LABORATORY • 2601 SE OTIS CORLEY DRIVE • BENTONVILLE, AR 72712
PHONE: (479) 286-2300 • FAX: (479) 286-2301 • BEN.Softlines.Customer.Service@crs.ul.com

Evaluation of Test Results

Lab Report No: ARSL2798945

Issue Date: August 23, 2023

Item Description: Jla Mps-Luxor 6 Piece Towel Set



Rating: **Pass**

CLIENT: E&E Co Ltd

BUYER: Supplier Testing

DEPARTMENT: 00

BRAND: Madison Park (National)

ORDER TYPE: Domestic

SOURCING OFFICE: Not Applicable

TEST TYPE: Supplier Only-Limited Testing

VENDOR STOCK NUMBER: MPS73-476

REASON FOR TESTING: Evaluation of Weight, Absorbency, Linting, Colorfastness, and Appearance After 3 Launderings

COUNTRY OF ORIGIN: India

SUPPLIER NAME: E&E Co Ltd

HOST VENDOR NUMBER: 444096

SUPPLIER ID: 28009219

FACTORY NAME: Not Applicable

FACTORY NUMBER: Not Applicable

CHILDREN'S PRODUCT: No

*** Please see the following pages for additional item information ***

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim.

For Reports / Certificates, refer to the UL VS Terms and Conditions.

Decision Rule: the declaration of conformity is given not taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issue by UL Solutions does not take in consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory,

ADDITIONAL SAMPLE INFORMATION

SIZE(S)	COLOR(S)
30x54, 16x26, 13x13	Grey
PO NUMBER(S)	
Not Applicable	
UPC CODE(S)	
086569538543	
ITEM NUMBER(S)	
Not Applicable	
APPLICATION ID	FABRIC CONSTRUCTION
6095200	Woven
	FABRIC MILL
	Not Applicable

UL VERIFICATION SERVICES INC.



Abdel Rodriguez
LABORATORY LEAD

UL VERIFICATION SERVICES INC.




Dawnell Smith
LABORATORY MANAGER

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim.

For Reports / Certificates, refer to the UL VS Terms and Conditions.

Decision Rule: the declaration of conformity is given not taking into account the measurement uncertainty.
Level of risk associated with the Decision Rule: The results issue by UL Solutions does not take in consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory,



Wash before use.
Machine wash warm with like colors, Gentle Cycle, Only non-chlorine bleach, when needed, Tumble dry low.

Made in India
RN 91519

Signature
MADISON PARK®
100% Egyptian Cotton Pile

MPS-221130

Signature
MADISON PARK.

100% EGYPTIAN COTTON PILE
- 6 Piece Towel Set -

set includes -
2 Bath Towels: 30in. x 54in. (76cm x 137cm)
2 Hand Towels: 16in. x 26in. (41cm x 66cm)
2 Wash Towels: 13in. x 13in. (33cm x 33cm)

COTTON EGYPT ASSOCIATION
EGYPTIAN COTTON
LICENSE NO. 1487
ACCREDITED GOLD SEAL

See sewn in label for fabric content and care instructions.
Made for E&F Co., Ltd., Fremont, CA 94538
Made in India / RN91519

MPS73-476

0 86569 53854 3

MPS73-476

0 86569 53854 3

LABELING		
	RATING	COMMENTS
Country of origin (required by FTC or U.S. Customs Regulations 19 CFR Part 134 if imported)	P	
Fiber content (required by FTC)	P	
Care instructions Written / Symbols (as defined in ASTM 3136 / ASTM D 5489)	P	
Declaration of Identity, Responsibility, and Quantity	P	
Note: Labeling information was provided on the application only		
LABELED CARE INSTRUCTIONS:		
<i>Wash before use, machine wash warm with like colors, gentle cycle, only non-chlorine bleach, when needed, tumble dry low.</i>		

GENERAL APPEARANCE, WORKMANSHIP / CONSTRUCTION		
	RATING	COMMENTS
<u>Construction / Workmanship</u> Seams are neat with no loose threads, needle damage, open seams	P	
Hems are straight, uniform, and consistent	P	
Loose threads are properly trimmed	P	
<u>Fabric Defects</u> No major defects, such as holes, runs, snags, stains, slub yarns, etc., or any other irregularities as defined in ASTM D3990	P	
<u>Evenness of Color</u> Uniform and even color within the sample and between samples	P	
APPEARANCE / DURABILITY AFTER LAUNDERING OR DRYCLEANING		
	RATING	COMMENTS
<u>General Appearance after Laundering</u> No open seams, holes, snags, runs, loose threads, excessive pilling, puckering, etc.	P	
<u>Shape Distortion after Laundering</u> No evidence of twisting	P	
<u>Durability Seam / Hem after Laundering</u> No open seams or broken stitches	P	

COLORFASTNESS

TEST CONDUCTED	RESULT	REQUIREMENT	RATING
<i>LAUNDERING - AATCC 135/150 (3 cycles)</i> <i>Gray Scales for Color Change / Staining</i> <i>Bath Towel, Hand Towel, Wash Cloth - Grey - 1</i> <i>SHADE CHANGE GRADE:</i>	4.0	≥ 3.5	P

FABRIC WEIGHT

TEST CONDUCTED	Actual Weight (oz/yd ²)	Actual Weight (g/m ²)	Specified Weight oz/yd ² (single value or range)	Specified Weight g/m ² (single value or range)	RATING
FABRIC WEIGHT - ASTM D 3776 meets specified weight or weight range					
Washcloth - Grey	19.63	665.59	---	---	---
Hand Towel - Grey	19.08	646.64	---	---	---
Bath Towel - Grey	19.15	649.05	---	---	---

UNIT WEIGHT

TEST CONDUCTED	Actual Weight	Previously Approved Weight	RATING
UNIT WEIGHT - ASTM D 3776 within specified weight			
Washcloth - Grey			
	UNIT WEIGHT (lbs): 0.160	---	---
	WEIGHT (lb/doz): 1.920	---	---
Hand Towel - Grey			
	UNIT WEIGHT (lbs): 0.390	---	---
	WEIGHT (lb/doz): 4.680	---	---
Bath Towel - Grey			
	UNIT WEIGHT (lbs): 1.490	---	---
	WEIGHT (lb/doz): 17.880	---	---

ABSORBENCY

TEST CONDUCTED	Water Recaptured (ml)	Absorbency (%)	ACTUAL AVERAGE (%)	REQUIRED (%)	RATING
ABSORBENCY - ASTM D4772 (5 Laundering Cycles) Bath Towel - Grey	Replica #1: 3.0	94.0%	95.0%	50.0%	P
	Replica #2: 2.0	96.0%			
	Replica #3: 3.0	94.0%			
	Replica #4: 2.0	96.0%			

ABSORBENCY COMMENTS:
Linting Evaluated After 3 Launderings at Supplier's Request

LINTING - TOWELS

TEST CONDUCTED	Weight of three towels prior to laundering (g)	Total lint weight after laundering (g)	Percent of linting (% of loss)	RATING
<p><i>LINTING (5 Laundering Cycles) - Requirement 0.70%</i> Bath Towel - Grey</p> <hr/> <p>Towel #1: 675.853 Towel #2: 684.924 Towel #3: 662.245 Total Weight: 2023.022</p>		7.931	0.392%	P

COMMENTS:

Linting Evaluated After 3 Launderings at Supplier's Request