



# UL VERIFICATION SERVICES INC.

SOFTLINES TESTING LABORATORY • 2601 SE OTIS CORLEY DRIVE • BENTONVILLE, AR 72712  
PHONE: (479) 286-2300 • FAX: (479) 286-2301 • BEN.Softlines.Customer.Service@crs.ul.com

## Evaluation of Test Results

Lab Report No: ARSL2800702

Issue Date: August 31, 2023



Item Description: Jla Mps-Cotton 8 Piece Towel Set Purple

Rating: **Pass**

CLIENT: E&E Co Ltd

BUYER: Supplier Testing

DEPARTMENT: 00

BRAND: Madison Park (National)

ORDER TYPE: Domestic

SOURCING OFFICE: Not Applicable

TEST TYPE: Supplier Only-Limited Testing

VENDOR STOCK NUMBER: MPS73-200

REASON FOR TESTING: Evaluation of Measurements, unit weight, wash for color change, absorbency, and appearance

COUNTRY OF ORIGIN: India

SUPPLIER NAME: E&E Co Ltd

HOST VENDOR NUMBER: 444096

SUPPLIER ID: 28009219

FACTORY NAME: Not Provided

FACTORY NUMBER: Not Provided

CHILDREN'S PRODUCT: No

\*\*\* Please see the following pages for additional item information \*\*\*

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim.

For Reports / Certificates, refer to the UL VS Terms and Conditions.

**Decision Rule:** the declaration of conformity is given not taking into account the measurement uncertainty.

**Level of risk associated with the Decision Rule:** The results issue by UL Solutions does not take in consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory,

## ADDITIONAL SAMPLE INFORMATION

<b>SIZE(S)</b>	<b>COLOR(S)</b>
12x12in, 30x54in, 16X28IN	Purple
<b>PO NUMBER(S)</b>	
Not Applicable	
<b>UPC CODE(S)</b>	
675716832858	
<b>ITEM NUMBER(S)</b>	
Not Applicable	
<b>APPLICATION ID</b>	<b>FABRIC CONSTRUCTION</b>
6102849	Woven

UL VERIFICATION SERVICES INC.



Abdel Rodriguez  
LABORATORY LEAD

UL VERIFICATION SERVICES INC.




Dawnell Smith  
LABORATORY MANAGER

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim.

For Reports / Certificates, refer to the UL VS Terms and Conditions.

**Decision Rule:** the declaration of conformity is given not taking into account the measurement uncertainty.  
**Level of risk associated with the Decision Rule:** The results issue by UL Solutions does not take in consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory,



*Signature*  
**MADISON PARK®**

**100% COTTON**  
**- 8 Piece Towel Set -**

*set includes -*  
2 Bath Towels: 30in x 54in (76cm x 137cm)  
2 Hand Towels: 16in x 28in (41cm x 71cm)  
4 Wash Cloths: 13in x 13in (33cm x 33cm)

See sewn in label for fabric content and care instructions.

Made for E&E Co., Ltd., Fremont, CA 94538  
Made in India RN91519

OEKO-TEX®  
MADE IN GREEN  
MPS73-200

Purple MPS73-200

6 75716 83285 8

**LABELING**

	RATING	COMMENTS
Country of origin (required by FTC or U.S. Customs Regulations 19 CFR Part 134 if imported)	P	
Fiber content (required by FTC)	P	
Care instructions Written / Symbols (as defined in ASTM 3136 / ASTM D 5489)	P	

**Note: Labeling information was provided on the application only**

**LABELED CARE INSTRUCTIONS:**

*Wash before use. Machine wash warm with like colors. Do not bleach. Tumble dry low. Avoid contact with skin care products containing benzoyl peroxide.*

**GENERAL APPEARANCE, WORKMANSHIP / CONSTRUCTION**

	RATING	COMMENTS
<u>Construction / Workmanship</u> Seams are neat with no loose threads, needle damage, open seams	P	
Hems are straight, uniform, and consistent	P	
Loose threads are properly trimmed	P	
<u>Fabric Defects</u> No major defects, such as holes, runs, snags, stains, slub yarns, etc., or any other irregularities as defined in ASTM D3990	P	
<u>Evenness of Color</u> Uniform and even color within the sample and between samples	P	
<u>Measurements</u> All measurements conform to labeled dimensions	P	

**APPEARANCE / DURABILITY AFTER LAUNDERING OR DRYCLEANING**

	RATING	COMMENTS
<u>General Appearance after Laundering</u> No open seams, holes, snags, runs, loose threads, excessive pilling, puckering, etc.	P	
<u>Shape Distortion after Laundering</u> No evidence of twisting	P	
<u>Durability Seam / Hem after Laundering</u> No open seams or broken stitches	P	

**COLORFASTNESS**

TEST CONDUCTED	RESULT	REQUIREMENT	RATING
<b>LAUNDERING - AATCC 135/150 (5 cycles)</b> <b>Gray Scales for Color Change / Staining</b> Bath Towel - Purple - 1 <hr/> SHADE CHANGE GRADE:	4.0	≥ 3.5	P
Bath Towel - Purple - 2 <hr/> SHADE CHANGE GRADE:	4.5	≥ 3.5	P
Hand Towel - Purple - 1 <hr/> SHADE CHANGE GRADE:	4.5	≥ 3.5	P
Hand Towel - Purple - 2 <hr/> SHADE CHANGE GRADE:	4.5	≥ 3.5	P
Wash Cloth - Purple - 1 <hr/> SHADE CHANGE GRADE:	4.5	≥ 3.5	P
Wash Cloth - Purple - 2 <hr/> SHADE CHANGE GRADE:	4.5	≥ 3.5	P
Wash Cloth - Purple - 3 <hr/> SHADE CHANGE GRADE:	4.5	≥ 3.5	P

**FABRIC WEIGHT**

TEST CONDUCTED	Actual Weight (oz/yd <sup>2</sup> )	Actual Weight (g/m <sup>2</sup> )	Specified Weight oz/yd <sup>2</sup> (single value or range)	Specified Weight g/m <sup>2</sup> (single value or range)	RATING
<b>FABRIC WEIGHT - ASTM D 3776 meets specified weight or weight range</b>					
Bath Towel - Purple- 1	22.39	759.12	---	---	---
Bath Towel - Purple- 2	23.28	789.33	---	---	---
Hand Towel - Purple-1	22.70	769.60	---	---	---
Hand Towel - Purple- 2	22.62	766.85	---	---	---
Wash Cloth - Purple- 1	23.41	793.53	---	---	---
Wash Cloth - Purple- 2	23.19	786.04	---	---	---
Wash Cloth - Purple- 3	23.41	793.53	---	---	---

**UNIT WEIGHT**

TEST CONDUCTED	Actual Weight	Previously Approved Weight	RATING
<b>UNIT WEIGHT - ASTM D 3776 within specified weight</b>			
Bath Towel - Purple- 1			
	UNIT WEIGHT (lbs): 1.740	---	---
	WEIGHT (lb/doz): 20.880	---	---
Bath Towel - Purple- 2			
	UNIT WEIGHT (lbs): 1.830	---	---
	WEIGHT (lb/doz): 21.960	---	---
Hand Towel - Purple-1			
	UNIT WEIGHT (lbs): 0.500	---	---
	WEIGHT (lb/doz): 6.000	---	---
Hand Towel - Purple- 2			
	UNIT WEIGHT (lbs): 0.500	---	---
	WEIGHT (lb/doz): 6.000	---	---
Wash Cloth - Purple- 1			
	UNIT WEIGHT (lbs): 0.200	---	---
	WEIGHT (lb/doz): 2.400	---	---
Wash Cloth - Purple- 2			
	UNIT WEIGHT (lbs): 0.200	---	---
	WEIGHT (lb/doz): 2.400	---	---
Wash Cloth - Purple- 3			
	UNIT WEIGHT (lbs): 0.200	---	---
	WEIGHT (lb/doz): 2.400	---	---



MEASUREMENT - BATH TOWEL						
#1		COLOR: Bath Towel - Purple			SIZE: 30x54in	
Tolerance (in.) - +	Component Description	Measurement Location	Labeled (in.)	Actual Flat / Circ. (in.)	Difference + / - (in.)	RATING
-1 2	Bath Towel	Length	54.000	54.625	0.625	P
-0.75 1	Bath Towel	Width	30.000	29.500	-0.500	P
MEASUREMENT - BATH TOWEL						
#2		COLOR: Bath Towel - Purple			SIZE: 30x54in	
Tolerance (in.) - +	Component Description	Measurement Location	Labeled (in.)	Actual Flat / Circ. (in.)	Difference + / - (in.)	RATING
-1 2	Bath Towel	Length	54.000	55.250	1.250	P
-0.75 1	Bath Towel	Width	30.000	29.500	-0.500	P
MEASUREMENT - WASHCLOTH						
#1		COLOR: Wash Cloth - Purple			SIZE: 13x13in	
Tolerance (in.) - +	Component Description	Measurement Location	Labeled (in.)	Actual Flat / Circ. (in.)	Difference + / - (in.)	RATING
-0.5 0.5	Washcloth	Length	13.000	13.500	0.500	P
-0.5 0.5	Washcloth	Width	13.000	13.125	0.125	P
MEASUREMENT - WASHCLOTH						
#2		COLOR: Wash Cloth - Purple			SIZE: 13x13in	
Tolerance (in.) - +	Component Description	Measurement Location	Labeled (in.)	Actual Flat / Circ. (in.)	Difference + / - (in.)	RATING
-0.5 0.5	Washcloth	Length	13.000	13.500	0.500	P
-0.5 0.5	Washcloth	Width	13.000	13.250	0.250	P

**MEASUREMENT - WASHCLOTH**

<b>#3</b>		<b>COLOR:</b> <u>Wash Cloth - Purple</u>	<b>SIZE:</b> <u>13x13in</u>			
Tolerance (in.) - +	Component Description	Measurement Location	Labeled (in.)	Actual Flat / Circ. (in.)	Difference + / - (in.)	RATING
-0.5 0.5	Washcloth	<i>Length</i>	<i>13.000</i>	<i>13.500</i>	<i>0.500</i>	<b>P</b>
-0.5 0.5	Washcloth	<i>Width</i>	<i>13.000</i>	<i>13.125</i>	<i>0.125</i>	<b>P</b>

**MEASUREMENT - HAND TOWEL**

<b>#1</b>		<b>COLOR:</b> <u>Hand Towel - Purple</u>	<b>SIZE:</b> <u>16X28IN</u>			
Tolerance (in.) - +	Component Description	Measurement Location	Labeled (in.)	Actual Flat / Circ. (in.)	Difference + / - (in.)	RATING
-0.75 1.5	Hand Towel	<i>Length</i>	<i>28.000</i>	<i>29.000</i>	<i>1.000</i>	<b>P</b>
-0.5 0.75	Hand Towel	<i>Width</i>	<i>16.000</i>	<i>15.750</i>	<i>-0.250</i>	<b>P</b>

**MEASUREMENT - HAND TOWEL**

<b>#2</b>		<b>COLOR:</b> <u>Hand Towel - Purple</u>	<b>SIZE:</b> <u>16X28IN</u>			
Tolerance (in.) - +	Component Description	Measurement Location	Labeled (in.)	Actual Flat / Circ. (in.)	Difference + / - (in.)	RATING
-0.75 1.5	Hand Towel	<i>Length</i>	<i>28.000</i>	<i>28.875</i>	<i>0.875</i>	<b>P</b>
-0.5 0.75	Hand Towel	<i>Width</i>	<i>16.000</i>	<i>15.875</i>	<i>-0.125</i>	<b>P</b>

**PACKAGING CONTENTS:**

Packing Description: 8 piece towel set  
 Actual Contents: 2 bath towels, 2 hand towels, 4 wash cloths  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**ABSORBENCY**

TEST CONDUCTED	Water Recaptured (ml)	Absorbency (%)	ACTUAL AVERAGE (%)	REQUIRED (%)	RATING
<b>ABSORBENCY - ASTM D4772 (5 Laundering Cycles)</b>					
<u>Bath Towel - Purple 1</u>					
Replica #1:	0.0	100.0%			
Replica #2:	0.0	100.0%			
Replica #3:	1.0	98.0%			
Replica #4:	0.0	100.0%	99.5%	50.0%	<b>P</b>
<u>Bath Towel - Purple 2</u>					
Replica #1:	0.0	100.0%			
Replica #2:	1.0	98.0%			
Replica #3:	0.0	100.0%			
Replica #4:	0.0	100.0%	99.5%	50.0%	<b>P</b>