



UL VERIFICATION SERVICES INC.

SOFTLINES TESTING LABORATORY • 2601 SE OTIS CORLEY DRIVE • BENTONVILLE, AR 72712
PHONE: (479) 286-2300 • FAX: (479) 286-2301 • BEN.Softlines.Customer.Service@crs.ul.com

Evaluation of Test Results

Lab Report No: ARSL2800701

Issue Date: August 31, 2023



Item Description: Jla Mps-Turkish Cotton 6 Piece Towel Set Pink

Rating: **Pass**

CLIENT: E&E Co Ltd

BUYER: Supplier Testing

DEPARTMENT: Not Applicable

BRAND: Madison Park (National)

ORDER TYPE: Domestic

SOURCING OFFICE: Not Applicable

TEST TYPE: Supplier Only-Limited Testing

VENDOR STOCK NUMBER: MPS73-450

REASON FOR TESTING: Evaluation of measurement, unit weight, wash for color change, absorbency, and appearance.

COUNTRY OF ORIGIN: Turkey

SUPPLIER NAME: E&E Co Ltd

HOST VENDOR NUMBER: 444096

SUPPLIER ID: 28009219

FACTORY NAME: Not Applicable

FACTORY NUMBER: Not Applicable

CHILDREN'S PRODUCT: No

*** Please see the following pages for additional item information ***

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim.

For Reports / Certificates, refer to the UL VS Terms and Conditions.

Decision Rule: the declaration of conformity is given not taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issue by UL Solutions does not take in consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory,

ADDITIONAL SAMPLE INFORMATION

SIZE(S)	COLOR(S)
13 x 13 in, 30 x 58 in, 16 X 30 in	Pink
PO NUMBER(S)	
Not Applicable	
UPC CODE(S)	
086569285959	
ITEM NUMBER(S)	
Not Applicable	
APPLICATION ID	FABRIC CONSTRUCTION
6102859	Woven

UL VERIFICATION SERVICES INC.



Abdel Rodriguez
LABORATORY LEAD

UL VERIFICATION SERVICES INC.




Dawnell Smith
LABORATORY MANAGER

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim.

For Reports / Certificates, refer to the UL VS Terms and Conditions.

Decision Rule: the declaration of conformity is given not taking into account the measurement uncertainty.
Level of risk associated with the Decision Rule: The results issue by UL Solutions does not take in consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory,



LABELING		
	RATING	COMMENTS
Country of origin (required by FTC or U.S. Customs Regulations 19 CFR Part 134 if imported)	P	
Fiber content (required by FTC)	P	
Care instructions Written / Symbols (as defined in ASTM 3136 / ASTM D 5489)	P	
Note: Labeling information was provided on the application only		
LABELED CARE INSTRUCTIONS:		
<i>Wash before use, Machine wash warm. Wash separately only non chlorine bleach when needed. Tumble dry low.</i>		

GENERAL APPEARANCE, WORKMANSHIP / CONSTRUCTION

	RATING	COMMENTS
<u>Construction / Workmanship</u> Seams are neat with no loose threads, needle damage, open seams	P	
Hems are straight, uniform, and consistent	P	
Loose threads are properly trimmed	P	
<u>Fabric Defects</u> No major defects, such as holes, runs, snags, stains, slub yarns, etc., or any other irregularities as defined in ASTM D3990	P	
<u>Evenness of Color</u> Uniform and even color within the sample and between samples	P	
<u>Measurements</u> All measurements conform to labeled dimensions	P	

APPEARANCE / DURABILITY AFTER LAUNDERING OR DRYCLEANING

	RATING	COMMENTS
<u>General Appearance after Laundering</u> No open seams, holes, snags, runs, loose threads, excessive pilling, puckering, etc.	P	
<u>Shape Distortion after Laundering</u> No evidence of twisting	P	
<u>Durability Seam / Hem after Laundering</u> No open seams or broken stitches	P	

COLORFASTNESS

TEST CONDUCTED	RESULT	REQUIREMENT	RATING
LAUNDERING - AATCC 135/150 (5 cycles) Gray Scales for Color Change / Staining Bath Towel - Pink - 2 <hr/> SHADE CHANGE GRADE:	4.5	≥ 3.5	P
Bath Towel - Pink - 2 <hr/> SHADE CHANGE GRADE:	4.5	≥ 3.5	P
Hand Towel- Pink -1 <hr/> SHADE CHANGE GRADE:	4.5	≥ 3.5	P
Hand Towel- Pink -2 <hr/> SHADE CHANGE GRADE:	4.5	≥ 3.5	P
Washcloth - Pink - 1 <hr/> SHADE CHANGE GRADE:	4.5	≥ 3.5	P
Washcloth - Pink - 2 <hr/> SHADE CHANGE GRADE:	4.5	≥ 3.5	P

FABRIC WEIGHT

TEST CONDUCTED	Actual Weight (oz/yd ²)	Actual Weight (g/m ²)	Specified Weight oz/yd ² (single value or range)	Specified Weight g/m ² (single value or range)	RATING
FABRIC WEIGHT - ASTM D 3776 meets specified weight or weight range					
Bath towel- pink 1	17.60	596.54	---	---	---
Bath towel- pink 2	17.60	596.54	---	---	---
Hand towel- 1	48.45	1642.39	---	---	---
Hand towel- 2	51.08	1731.48	---	---	---
Wash cloth -1	5.97	202.45	---	---	---
Wash cloth- 2	6.04	204.89	---	---	---

UNIT WEIGHT

TEST CONDUCTED	Actual Weight	Previously Approved Weight	RATING
UNIT WEIGHT - ASTM D 3776 within specified weight			
Bath towel- pink 1			
	UNIT WEIGHT (lbs): 1.480	---	---
	WEIGHT (lb/doz): 17.760	---	---
Bath towel- pink 2			
	UNIT WEIGHT (lbs): 1.490	---	---
	WEIGHT (lb/doz): 17.880	---	---
Hand towel- 1			
	UNIT WEIGHT (lbs): 0.410	---	---
	WEIGHT (lb/doz): 4.920	---	---
Hand towel- 2			
	UNIT WEIGHT (lbs): 0.420	---	---
	WEIGHT (lb/doz): 5.040	---	---
Wash cloth -1			
	UNIT WEIGHT (lbs): 0.140	---	---
	WEIGHT (lb/doz): 1.680	---	---
Wash cloth- 2			
	UNIT WEIGHT (lbs): 0.140	---	---
	WEIGHT (lb/doz): 1.680	---	---

MEASUREMENT - BATH TOWEL						
#1		COLOR: Bath Towel - Pink			SIZE: 30 x 58 in	
Tolerance (in.) - +	Component Description	Measurement Location	Labeled (in.)	Actual Flat / Circ. (in.)	Difference + / - (in.)	RATING
-1 2	Bath Towel	Length	58.000	59.125	1.125	P
-0.75 1	Bath Towel	Width	30.000	29.500	-0.500	P
MEASUREMENT - BATH TOWEL						
#2		COLOR: Bath Towel - Pink			SIZE: 30 x 58 in	
Tolerance (in.) - +	Component Description	Measurement Location	Labeled (in.)	Actual Flat / Circ. (in.)	Difference + / - (in.)	RATING
-1 2	Bath Towel	Length	58.000	59.125	1.125	P
-0.75 1	Bath Towel	Width	30.000	29.500	-0.500	P
MEASUREMENT - WASHCLOTH						
#1		COLOR: Washcloth - Pink			SIZE: 13 x 13 in	
Tolerance (in.) - +	Component Description	Measurement Location	Labeled (in.)	Actual Flat / Circ. (in.)	Difference + / - (in.)	RATING
-0.5 0.5	Washcloth	Length	13.000	13.500	0.500	P
-0.5 0.5	Washcloth	Width	13.000	13.000	0.000	P
MEASUREMENT - WASHCLOTH						
#2		COLOR: Washcloth - Pink			SIZE: 13 x 13 in	
Tolerance (in.) - +	Component Description	Measurement Location	Labeled (in.)	Actual Flat / Circ. (in.)	Difference + / - (in.)	RATING
-0.5 0.5	Washcloth	Length	13.000	13.375	0.375	P
-0.5 0.5	Washcloth	Width	13.000	12.750	-0.250	P

MEASUREMENT - HAND TOWEL						
#1		COLOR: <u>Hand Towel - Pink</u>			SIZE: <u>16 X 30 in</u>	
Tolerance (in.) - +	Component Description	Measurement Location	Labeled (in.)	Actual Flat / Circ. (in.)	Difference + / - (in.)	RATING
-0.75 1.5	Hand Towel	Length	30.000	30.625	0.625	P
-0.5 0.75	Hand Towel	Width	16.000	15.875	-0.125	P
MEASUREMENT - HAND TOWEL						
#2		COLOR: <u>Hand Towel - Pink</u>			SIZE: <u>16 X 30 in</u>	
Tolerance (in.) - +	Component Description	Measurement Location	Labeled (in.)	Actual Flat / Circ. (in.)	Difference + / - (in.)	RATING
-0.75 1.5	Hand Towel	Length	30.000	30.500	0.500	P
-0.5 0.75	Hand Towel	Width	16.000	15.750	-0.250	P
PACKAGING CONTENTS:						
Packing Description: <u>6 piece towel set</u> Actual Contents: <u>2 bath towel, 2 washcloth, 2 hand towel</u> _____ _____ _____						

ABSORBENCY

TEST CONDUCTED	Water Recaptured (ml)	Absorbency (%)	ACTUAL AVERAGE (%)	REQUIRED (%)	RATING
ABSORBENCY - ASTM D4772 (5 Laundering Cycles) Bath Towel - Pink 1	0.0	100.0%			
<i>Replica #1:</i>	0.0	100.0%			
<i>Replica #2:</i>	1.0	98.0%			
<i>Replica #3:</i>	0.0	100.0%			
<i>Replica #4:</i>	0.0	100.0%	99.5%	50.0%	P
Bath Towel - Pink 2	0.0	100.0%			
<i>Replica #1:</i>	0.0	100.0%			
<i>Replica #2:</i>	0.0	100.0%			
<i>Replica #3:</i>	1.0	98.0%			
<i>Replica #4:</i>	1.0	98.0%	99.0%	50.0%	P