

SHIP8, INC.

ATTN: ACCOUNTS PAYABLE
45875 NORTHPORT LOOP EAST
FREMONT, CA 94538
US

AP.SHIP8@SHIP8.COM

ORDER FROM
100617

AMAZON INC.

SEATTLE, WA 98109

Buyer
Purchasing Dept

Terms
Net 30 Days

FOB
FOB Origin

Ship Via
Best possible

Line No.	Vendor Item No.	Vendor Item Description	Qty Ordered	UOM	Unit Price	Extended Price
1	ASRS	ExpertPower EXP1250-12V 5Ah Rechargeable SLA Battery for Security System	8.00	Each	16.09	

Total Extended Price =



Approvals

Report • Printed on January 22, 2026

Ship8-IT

Approved



IT Purchasing Request

ASRS APC battery replacement

▼ Details

Location, Team, or User 550 MDF ASRS Battery Replacement

this request is for?

Request Date 2026-01-21

When does this Request 2026-01-31

need to be fulfilled by?

Item(s) to be Requested - 1 8X UPS Battery replacement

item per line, notate

quantities

URLs for Items - 1 per line 8X https://www.amazon.com/EXP1250-Terminals-Chamberlain-LiftMaster-Replacement/dp/B0010Z4MDK/ref=sr_1_7?crid=AV7WJOPRMMF&dib=eyJ2ljojMSJ9.X8csgOtFOoACxgT9yTB45fXksPw8yY7Tj1NmZ6_ecshyUdJ6lxox1WXkgjU3szFTVofVHdwHv eFSI6I2fBUJ3_Dlpm4bmOOOeO1K8xCFLIMPgkM6G2yPMRb99VtIj yltszL_IWZy3KugzLZ8tySp4snHjmbfzNlq_XOtTyn2VLEOHo2yn9HfG WMpNtbEISez0JBOWg_kj7HXB10AOGgGKJtkPqSEvJefWsxqvhEqN wwDkdBroB6gky9ec6Z9I2nzVFenzk_nCPMflrAmE08GoRHCoR31M0 x9XMeyJLWd3S2LuYnS4gdyCwGwzNYDpvWOixIq_IqVTShM8ED4A h0iiP8&dib_tag=se&keywords=lpX12-5.4%2B12v5.4ah&qid=1769007191&sprefix=LpX12-5.4%2Caps%2C650&sr=8-7&th=1

Reasoning for Purchase Replacement battery replacement for ASRS APC

Expected Cost 158.32

▼ Final status: Approved



Step 2: Approved by

Christine Jenkins

1/22/2026 6:13:26 AM

PO 26010088 ETA 1/26/2026



Step 1: Approved by

Gil Strawn

1/21/2026 3:25:50 PM

Approved



Requested by
Chris Snider

1/21/2026 9:59:51 AM



Details for Order #111-7727278-7640219

Paid By: Ship8 Inc
Placed By: Christine
Order Placed: January 22, 2026
PO number : 26010088
Amazon.com order number: 111-7727278-7640219
Order Total: \$137.76

Not Yet Shipped

Items Ordered

8 of: ExpertPower EXP1250-12V 5Ah Rechargeable SLA Battery for Security System, UPS, Garage Door Opener Replacement, Fire Alarm Batteries, Sealed Lead Acid, 12V Battery Backup
Sold by: Amazon (seller profile)
Business Price
Condition: New

Price
\$16.09

Shipping Address:

Christine Jenkins
550 NORTHPORT PKWY
PORT WENTWORTH, GA 31407-9286
United States

Shipping Speed:

FREE Prime Delivery

Payment information

Payment Method:

Pay by invoice

Item(s) Subtotal: \$128.72
Shipping & Handling: \$0.00

Total before tax: \$128.72
Estimated Tax: \$9.04

Grand Total: \$137.76

To view the status of your order, return to [Order Summary](#).



For customer support visit [Amazon.com/contact-us](https://www.amazon.com/contact-us)

Order date: January 22, 2026
Purchase Order #: 26010088
Order #: 111-7727278-7640219
Date shipped: January 22, 2026

Ship to:
Christine Jenkins
550 NORTHPORT PKWY
PORT WENTWORTH, GA 31407-9286
United States

Shipment details

Item description	Qty	Item price	Item subtotal
ExpertPower EXP1250-12V 5Ah Rechargeable SLA Battery for Security System, UPS, Garage Door Opener Replacement, Fire Alarm Batteries, Sealed Lead Acid, 12V Battery Backup (SKU: B0010Z4MDK) Condition: New Sold by: Amazon.com Services, Inc Gift message: ""	1	\$16.09	\$16.09

Item subtotal	\$16.09
Shipping & handling	\$0.00
Sales tax	\$1.13
Total	\$17.22

*Rec
1-26-26
Ch*

Return or replace your item

Visit [Amazon.com/returns](https://www.amazon.com/returns)

Have feedback on how we packaged your order? Tell us at [Amazon.com/packaging](https://www.amazon.com/packaging)



For customer support visit Amazon.com/contact-us

Order date: January 22, 2026
Purchase Order #: 26010088
Order #: 111-7727278-7640219
Date shipped: January 22, 2026

Ship to:
Christine Jenkins
550 NORTHPORT PKWY
PORT WENTWORTH, GA 31407-9286
United States

Shipment details

Item description	Qty	Item price	Item subtotal
ExpertPower EXP1250-12V 5Ah Rechargeable SLA Battery for Security System, UPS, Garage Door Opener Replacement, Fire Alarm Batteries, Sealed Lead Acid, 12V Battery Backup (SKU: B0010Z4MDK) Condition: New Sold by: Amazon.com Services, Inc Gift message: ""	1	\$16.09	\$16.09

Item subtotal	\$16.09
Shipping & handling	\$0.00
Sales tax	\$1.13
Total	\$17.22

Rec
1-26-26
CH

Return or replace your item

Visit Amazon.com/returns

Have feedback on how we packaged your order? Tell us at Amazon.com/packaging



For customer support visit [Amazon.com/contact-us](https://www.amazon.com/contact-us)

Order date: January 22, 2026
Purchase Order #: 26010088
Order #: 111-7727278-7640219
Date shipped: January 22, 2026

Ship to:
Christine Jenkins
550 NORTHPORT PKWY
PORT WENTWORTH, GA 31407-9286
United States

Shipment details

Item description	Qty	Item price	Item subtotal
ExpertPower EXP1250-12V 5Ah Rechargeable SLA Battery for Security System, UPS, Garage Door Opener Replacement, Fire Alarm Batteries, Sealed Lead Acid, 12V Battery Backup (SKU: B0010Z4MDK) Condition: New Sold by: Amazon.com Services, Inc Gift message: ""	1	\$16.09	\$16.09

Item subtotal	\$16.09
Shipping & handling	\$0.00
Sales tax	\$1.13
Total	\$17.22

1-26-26
CA

Return or replace your item

Visit [Amazon.com/returns](https://www.amazon.com/returns)

Have feedback on how we packaged your order? Tell us at [Amazon.com/packaging](https://www.amazon.com/packaging)



For customer support visit [Amazon.com/contact-us](https://www.amazon.com/contact-us)

Order date: January 22, 2026
Purchase Order #: 26010088
Order #: 111-7727278-7640219
Date shipped: January 22, 2026

Ship to:
Christine Jenkins
550 NORTHPORT PKWY
PORT WENTWORTH, GA 31407-9286
United States

Shipment details

Item description	Qty	Item price	Item subtotal
ExpertPower EXP1250-12V 5Ah Rechargeable SLA Battery for Security System, UPS, Garage Door Opener Replacement, Fire Alarm Batteries, Sealed Lead Acid, 12V Battery Backup (SKU: B0010Z4MDK) Condition: New Sold by: Amazon.com Services, Inc Gift message: ""	1	\$16.09	\$16.09

Item subtotal	\$16.09
Shipping & handling	\$0.00
Sales tax	\$1.13
Total	\$17.22

1-26-26

Return or replace your item

Visit [Amazon.com/returns](https://www.amazon.com/returns)

Have feedback on how we packaged your order? Tell us at [Amazon.com/packaging](https://www.amazon.com/packaging)



For customer support visit [Amazon.com/contact-us](https://www.amazon.com/contact-us)

Order date: January 22, 2026
Purchase Order #: 26010088
Order #: 111-7727278-7640219
Date shipped: January 22, 2026

Ship to:
Christine Jenkins
550 NORTHPORT PKWY
PORT WENTWORTH, GA 31407-9286
United States

Shipment details

Item description	Qty	Item price	Item subtotal
ExpertPower EXP1250-12V 5Ah Rechargeable SLA Battery for Security System, UPS, Garage Door Opener Replacement, Fire Alarm Batteries, Sealed Lead Acid, 12V Battery Backup (SKU: B0010Z4MDK) Condition: New Sold by: Amazon.com Services, Inc Gift message: ""	1	\$16.09	\$16.09

Item subtotal	\$16.09
Shipping & handling	\$0.00
Sales tax	\$1.13
Total	\$17.22

1-26-26

Return or replace your item

Visit [Amazon.com/returns](https://www.amazon.com/returns)

Have feedback on how we packaged your order? Tell us at [Amazon.com/packaging](https://www.amazon.com/packaging)



For customer support visit [Amazon.com/contact-us](https://www.amazon.com/contact-us)

Order date: January 22, 2026

Purchase Order #: 26010088

Order #: 111-7727278-7640219

Date shipped: January 22, 2026

Ship to:

Christine Jenkins

550 NORTHPORT PKWY

PORT WENTWORTH, GA 31407-9286

United States

Shipment details

Item description	Qty	Item price	Item subtotal
ExpertPower EXP1250-12V 5Ah Rechargeable SLA Battery for Security System, UPS, Garage Door Opener Replacement, Fire Alarm Batteries, Sealed Lead Acid, 12V Battery Backup (SKU: B0010Z4MDK) Condition: New Sold by: Amazon.com Services, Inc Gift message: ""	1	\$16.09	\$16.09

Item subtotal	\$16.09
Shipping & handling	\$0.00
Sales tax	\$1.13

Total **\$17.22**

1-26-26

Return or replace your item

Visit [Amazon.com/returns](https://www.amazon.com/returns)

Have feedback on how we packaged your order? Tell us at [Amazon.com/packaging](https://www.amazon.com/packaging)



For customer support visit [Amazon.com/contact-us](https://www.amazon.com/contact-us)

Order date: January 22, 2026
Purchase Order #: 26010088
Order #: 111-7727278-7640219
Date shipped: January 22, 2026

Ship to:
Christine Jenkins
550 NORTHPORT PKWY
PORT WENTWORTH, GA 31407-9286
United States

Shipment details

Item description	Qty	Item price	Item subtotal
ExpertPower EXP1250-12V 5Ah Rechargeable SLA Battery for Security System, UPS, Garage Door Opener Replacement, Fire Alarm Batteries, Sealed Lead Acid, 12V Battery Backup (SKU: B0010Z4MDK) Condition: New Sold by: Amazon.com Services, Inc Gift message: ""	1	\$16.09	\$16.09

Item subtotal	\$16.09
Shipping & handling	\$0.00
Sales tax	\$1.13
Total	\$17.22

1-26-26
CA

Return or replace your item

Visit [Amazon.com/returns](https://www.amazon.com/returns)

Have feedback on how we packaged your order? Tell us at [Amazon.com/packaging](https://www.amazon.com/packaging)



For customer support visit [Amazon.com/contact-us](https://www.amazon.com/contact-us)

Order date: January 22, 2026

Purchase Order #: 26010088

Order #: 111-7727278-7640219

Date shipped: January 22, 2026

Ship to:

Christine Jenkins
550 NORTHPORT PKWY
PORT WENTWORTH, GA 31407-9286
United States

Shipment details

Item description	Qty	Item price	Item subtotal
ExpertPower EXP1250-12V 5Ah Rechargeable SLA Battery for Security System, UPS, Garage Door Opener Replacement, Fire Alarm Batteries, Sealed Lead Acid, 12V Battery Backup (SKU: B0010Z4MDK) Condition: New Sold by: Amazon.com Services, Inc Gift message: ""	1	\$16.09	\$16.09

Item subtotal	\$16.09
Shipping & handling	\$0.00
Sales tax	\$1.13
Total	\$17.22

1-26-26
24

Return or replace your item

Visit [Amazon.com/returns](https://www.amazon.com/returns)

Have feedback on how we packaged your order? Tell us at [Amazon.com/packaging](https://www.amazon.com/packaging)

Invoice summary

Payment due by February 22, 2026

Item subtotal before tax	\$ 128.72
Shipping & handling	\$ 0.00
Promos & discounts	\$ 0.00
<hr/>	
Total before tax	\$ 128.72
Tax	\$ 9.04
<hr/>	
Amount due	\$ 137.76 USD

Account # A35AFFUVNI95SG

Payment terms Net 30

Purchase date 22-Jan-2026

Purchased by Christine

PO # 26010088

Registered business name

Ship8 Inc

Bill to

Ship8 Inc

45875 NORTHPORT LOOP E
FREMONT, CA 94538

Ship to

Christine Jenkins
550 NORTHPORT PKWY
PORT WENTWORTH, GA 31407-9286

Pay by

Electronic funds transfer (EFT/ACH/Wire)

Account name Amazon Capital Services, Inc
Bank name Wells Fargo Bank
ACH routing # (ABA) 121000248
Bank account # (DDA) 41630120002270518
SWIFT code (wire transfer) WFBUS6S

Check

Amazon Capital Services
PO Box 035184
Seattle, WA 98124-5184

Electronic Funds Transfer: Add invoice number(s) in the description field.
Email: Send remittance details to ar-businessinvoicing@amazon.com. (This mailbox only accepts payment details. For help, contact customer support.)

Invoice details

Description	Qty	Unit price	Item subtotal before tax	Tax
1 ExpertPower EXP1250-12V 5Ah Rechargeable SLA Battery for Security System, UPS, Garage Door Opener Replacement, Fire Alarm Batteries, Sealed Lead Acid, 12V Battery Backup ASIN: B0010Z4MDK Order #: 111-7727278-7640219 Sold by: Amazon.com Services, Inc	8	\$16.09	\$128.72	7.000%

Total before tax \$128.72

Tax \$9.04

Amount due \$137.76

FAQs

How is tax calculated?

Visit <https://www.amazon.com/gp/help/customer/display.html?nodeId=G202036190>

How are digital products and services taxed?

Visit <https://www.amazon.com/gp/help/customer/display.html?nodeId=T18jkShu13no6ZK3jZ>

When will I get a refund for undelivered items?

You can expect to get your refund within 7 calendar days after we receive confirmation that your package was undeliverable (exclusions apply).
