



TRHU 7555384 3

TCIL SPECS

PAINT MANUFACTURER	Specify
EPOXY ZINC RICH SHOP PRIMER	2000 20 10
NO EPOXY ZINC RICH BUA PRIMER	2000 20 10
NO EXTERIOR EPOXY PRIMER NO COAT	2000 20 10
NO EXTERIOR ACRYLIC TOP COAT	2000 20 10
NO INTERIOR EPOXY TOP COAT	2000 20 10
NO UNDERCOAT	2000 20 10
OTHER SUPPLIES (S&S)	
CORNER CASTING	Specify
FLOOR PANEL	Specify
INTERIOR SEALANT	Specify
LOCKING ASSEMBLY & HANDLE	See J-1000
HINGE SLATE ASSEMBLY & HANDLE	See J-1000
VENTILATOR	Specify
DOOR GASKET	Specify















CIMC 中集 通华

鲁·B
GQ39挂

THT 通华先锋
LONGHUA PIONEER
0514-87877
www.chinatrailer.com

THT
0514-87877
www.chinatrailer.com

TRHU 755584 3
45G1

MAX.GROSS 32.500 KGS.
71.650 LBS.

TARE 3.700 KGS.
8.160 LBS.

NET 28.800 KGS.
63.490 LBS.

CU. CAP. 76.4 CU.M.
2.700 CU.FT.

Small white rectangular label with illegible text.

DFIC

CIMC 中集 通华

鲁·B
GQ39挂

THT 通华先锋
TONGHUA PIONEER
0514-87
www.china

7888
r.com



TRITON

TRHU 755584 3
45G1

MAX.GROSS 32.500 KGS.
71.650 LBS.

TARE 3.700 KGS.
8.160 LBS.

NET 28.800 KGS.
63.490 LBS.

CU. CAP. 76.4 CU.M.
2.700 CU.FT.

19/12/23



CORTEN STEEL CONTAINER

APPROVED FOR TRANSPORT UNDER CUSTOMS SEAL
CSC SAFETY APPROVAL

DFIC

CIMC 中集 通华

鲁·B
GQ39挂

THT 通华先锋
JONGHIA PIONEER
0514-8... 78
www.c...

7888
com



EMCVRM6853

SAE

EVERGREEN

EMCVRM6853