

Barcode Verification Report


91094656			
Date:	8/21/2019	Serial number:	B1DA
Time:	2:17:55 PM	Aperture:	0.010"
Software Version:	2.2.5.7896 (UI) 2.2.4.7815 (core)	Wavelength:	2.6E-005" (660 nm.)
		Last Calibrated:	8/21/2019
GS1-128 Content: Fail: X No leading Function 1			
Number of scans:		10	
Code Type:	Code 128 43 bars + spaces. X dim=0.0221"		
Average Grade (Pass=1.5):	F (0.0) - Fail (0.0/10/660)		
Average Bar Gain (tolerance):	7% (± 33.0%)		
Check Character:	OK (61)		

	Pass Scans	Fail Scans
Structure	1..10	
Left Margin	1..10	
Right Margin		1..10

	Percentage Values	Average Grades
Minimum Reflectance	4%	A (4.0)
Maximum Reflectance	75%	
Threshold	40%	
Symbol Contrast	71%	A (4.0)
Min. Edge Contrast	52%	A (4.0)
Modulation	74%	A (3.9)
Defects	17%	B (3.2)
Decodability	20%	F (0.2)
Decode		F (0.0)



Dimensional Analysis



	Decodability	Char. Width	Sum of bars	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge
LM	2714 (2222)								
StartC	61.9%	2492	1416 (1359)	722 (680)	459 (453)	652 (680)	1117 (1133)		
91	87.1%	2463	1793 (1791)	1130 (1119)	657 (671)	675 (671)	659 (671)		
09	56.8%	2375	928 (863)	887 (864)	665 (648)	694 (648)	689 (648)		
46	79.2%	2475	1344 (1349)	432 (450)	923 (900)	1351 (1350)	1123 (1124)		
56	73.1%	2451	1368 (1337)	1318 (1337)	898 (891)	472 (446)	698 (669)		
61	19.6%	2390	920 (868)	925 (869)	671 (651)	999 (1086)	1018 (1086)		
Stop	71.6%	2941	1720 (1809)	1115 (1131)	1325 (1357)	909 (904)	469 (452)	463 (452)	560 (678)
RM	1976 (2192)								