


Barcode Verification Report


00006757166367808338			
Date:	8/21/2019	Serial number:	B1DA
Time:	2:18:28 PM	Aperture:	0.010"
Software Version:	2.2.5.7896 (UI) 2.2.4.7815 (core)	Wavelength:	2.6E-005" (660 nm.)
		Last Calibrated:	8/21/2019
GS1-128 Content: Fail: X No leading Function 1			
Number of scans:		10	
Code Type:		Code 128 79 bars + spaces. X dim=0.0215"	
Average Grade (Pass=1.5):		F (0.3) - Fail (0.3/10/660)	
Average Bar Gain (tolerance):		-1% (± 33.0%)	
Check Character:		OK (35)	

	Pass Scans	Fail Scans
Structure	1..10	
Left Margin	1..10	
Right Margin	1..10	

	Percentage Values	Average Grades
Minimum Reflectance	4%	A (4.0)
Maximum Reflectance	75%	
Threshold	40%	
Symbol Contrast	71%	A (4.0)
Min. Edge Contrast	53%	A (4.0)
Modulation	74%	A (4.0)
Defects	5%	A (4.0)
Decodability	21%	F (0.3)
Decode		A (4.0)



Dimensional Analysis



	Decodability	Char. Width	Sum of bars	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge
LM	2617 (2150)								
StartC	76.1%	2394	1326 (1305)	663 (652)	461 (435)	658 (652)	1083 (1088)		
00	79.3%	2389	1315 (1303)	647 (651)	649 (651)	846 (869)	891 (869)		
00	24.3%	2302	1200 (1254)	663 (627)	661 (627)	852 (836)	757 (836)		
67	90.9%	2402	844 (873)	1084 (1091)	1081 (1091)	430 (436)	660 (655)		
57	72.5%	2408	1339 (1313)	858 (876)	626 (657)	662 (657)	468 (438)		
16	40.2%	2287	1184 (1247)	661 (624)	1093 (1039)	863 (831)	561 (624)		
63	79.9%	2417	885 (879)	461 (439)	436 (439)	664 (659)	896 (879)		
67	72.0%	2415	878 (878)	1128 (1097)	1091 (1097)	427 (439)	663 (658)		
80	56.5%	2317	1208 (1264)	467 (421)	429 (421)	660 (632)	1221 (1264)		
83	86.3%	2409	1367 (1314)	429 (438)	1094 (1095)	1319 (1314)	664 (657)		
38	74.4%	2397	881 (871)	895 (871)	1085 (1089)	1075 (1089)	843 (871)		
35	28.7%	2313	879 (841)	890 (841)	870 (841)	766 (841)	982 (1051)		
Stop	84.4%	2831	1698 (1742)	1078 (1089)	1306 (1306)	854 (871)	431 (435)	462 (435)	595 (653)
RM	2483 (2134)								