


Barcode Verification Report


91094656			
Date:	8/27/2019	Serial number:	B1DA
Time:	2:07:32 PM	Aperture:	0.010"
Software Version:	2.2.5.7896 (UI) 2.2.4.7815 (core)	Wavelength:	2.6E-005" (660 nm.)
		Last Calibrated:	8/27/2019
GS1-128 Content: Fail: X No leading Function 1			
Number of scans:		10	
Code Type:	Code 128 43 bars + spaces. X dim=0.0221"		
Average Grade (Pass=1.5):	F (0.0) - Fail (0.0/10/660)		
Average Bar Gain (tolerance):	8% (± 33.0%)		
Check Character:	OK (61)		

	Pass Scans	Fail Scans
Structure	1..10	
Left Margin	1..10	
Right Margin		1..10

	Percentage Values	Average Grades
Minimum Reflectance	4%	A (4.0)
Maximum Reflectance	75%	
Threshold	39%	
Symbol Contrast	70%	A (4.0)
Min. Edge Contrast	55%	A (4.0)
Modulation	78%	A (4.0)
Defects	3%	A (4.0)
Decodability	19%	F (0.1)
Decode		F (0.0)



Dimensional Analysis



	Decodability	Char. Width	Sum of bars	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge
LM	2740 (2232)								
StartC	62.3%	2512	1428 (1370)	728 (685)	463 (457)	661 (685)	1126 (1142)		
91	86.5%	2476	1819 (1800)	1126 (1125)	662 (675)	689 (675)	660 (675)		
09	55.1%	2377	933 (863)	887 (864)	657 (648)	692 (648)	696 (648)		
46	74.4%	2480	1361 (1352)	430 (450)	930 (901)	1353 (1352)	1122 (1127)		
56	76.0%	2450	1367 (1336)	1321 (1336)	892 (891)	463 (445)	695 (668)		
61	19.3%	2380	907 (865)	924 (865)	658 (649)	994 (1081)	1025 (1081)		
Stop	72.9%	2935	1704 (1806)	1122 (1129)	1324 (1354)	896 (903)	463 (451)	464 (451)	564 (677)
RM	2009 (2189)								