


Barcode Verification Report

00006757166367713922


Date:	8/27/2019	Serial number:	B1DA
Time:	2:07:51 PM	Aperture:	0.010"
Software Version:	2.2.5.7896 (UI)	Wavelength:	2.6E-005" (660 nm.)
	2.2.4.7815 (core)	Last Calibrated:	8/27/2019
GS1-128 Content: Fail: X No leading Function 1			
Number of scans:		10	
Code Type:	Code 128 79 bars + spaces. X dim=0.0216"		
Average Grade (Pass=1.5):	F (0.0) - Fail (0.0/10/660)		
Average Bar Gain (tolerance):	-2% (± 33.0%)		
Check Character:	OK (25)		

	Pass Scans	Fail Scans
Structure		1..10
Left Margin	1..10	
Right Margin	1..10	

	Percentage Values	Average Grades
Minimum Reflectance	4%	A (4.0)
Maximum Reflectance	73%	
Threshold	38%	
Symbol Contrast	69%	A (4.0)
Min. Edge Contrast	50%	A (4.0)
Modulation	72%	A (4.0)
Defects	3%	A (4.0)
Decodability	-1%	F (0.0)
Decode		F (0.0)



Dimensional Analysis



	Decodability	Char. Width	Sum of bars	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge
LM	2597 (2152)								
StartC	81.2%	2385	1312 (1300)	657 (650)	454 (433)	652 (650)	1076 (1084)		
00	80.6%	2390	1319 (1303)	650 (651)	653 (651)	850 (869)	890 (869)		
00	21.9%	2316	1209 (1263)	658 (631)	667 (631)	863 (842)	759 (842)		
67	88.4%	2424	859 (881)	1094 (1102)	1089 (1102)	435 (440)	664 (661)		
57	71.3%	2415	1334 (1317)	865 (878)	627 (658)	660 (658)	464 (439)		
16	41.5%	2285	1173 (1246)	666 (623)	1094 (1038)	861 (830)	562 (623)		
63	75.9%	2416	876 (878)	465 (439)	430 (439)	661 (658)	895 (878)		
67	78.8%	2427	889 (882)	1126 (1103)	1091 (1103)	430 (441)	667 (662)		
71	0.0%	2319	816 (843)	661 (632)	891 (843)	659 (632)	309 (421)		
39	78.9%	2419	906 (879)	664 (659)	463 (439)	863 (880)	863 (880)		
22	81.3%	2430	1319 (1325)	898 (883)	1097 (1104)	865 (883)	462 (442)		
25	18.3%	2326	1248 (1269)	1096 (1057)	565 (634)	336 (423)	631 (634)		
Stop	86.9%	2876	1724 (1770)	1098 (1106)	1329 (1328)	870 (885)	434 (443)	465 (443)	600 (664)
RM	2524 (2157)								