

Barcode Verification Report

91094656			
Date:	9/5/2019	Serial number:	B1DA
Time:	9:40:42 AM	Aperture:	0.010"
Software Version:	2.2.5.7896 (UI) 2.2.4.7815 (core)	Wavelength:	2.6E-005" (660 nm.)
		Last Calibrated:	9/5/2019
GS1-128 Content: Fail: X No leading Function 1			
Number of scans:		10	
Code Type:		Code 128 43 bars + spaces. X dim=0.0222"	
Average Grade (Pass=1.5):		F (0.0) - Fail (0.0/10/660)	
Average Bar Gain (tolerance):		7% (± 33.0%)	
Check Character:		OK (61)	


	Pass Scans	Fail Scans
Structure	1..10	
Left Margin	1..10	
Right Margin		1..10

	Percentage Values	Average Grades
Minimum Reflectance	5%	A (4.0)
Maximum Reflectance	74%	
Threshold	39%	
Symbol Contrast	68%	A (3.9)
Min. Edge Contrast	55%	A (4.0)
Modulation	80%	A (4.0)
Defects	5%	A (4.0)
Decodability	17%	F (0.0)
Decode		F (0.0)



Samples

Dimensional Analysis



	Decodability	Char. Width	Sum of bars	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge
LM	2739 (2247)								
StartC	64.8%	2528	1435 (1378)	730 (689)	463 (459)	670 (689)	1130 (1149)		
91	84.9%	2492	1824 (1811)	1128 (1132)	664 (679)	696 (679)	663 (679)		
09	58.5%	2391	927 (869)	894 (869)	664 (652)	696 (652)	697 (652)		
46	76.4%	2487	1355 (1356)	431 (452)	931 (904)	1357 (1356)	1130 (1130)		
56	73.5%	2458	1362 (1341)	1330 (1341)	896 (894)	462 (446)	700 (670)		
61	20.2%	2391	906 (869)	928 (869)	659 (652)	1000 (1087)	1034 (1087)		
Stop	71.7%	2949	1706 (1814)	1129 (1134)	1328 (1361)	899 (907)	466 (454)	466 (454)	567 (680)
RM	2006 (2198)								