


Barcode Verification Report


91094656			
Date:	10/21/2019	Serial number:	B1DA
Time:	4:42:50 PM	Aperture:	0.010"
Software Version:	2.2.5.7896 (UI) 2.2.4.7815 (core)	Wavelength:	2.6E-005" (660 nm.)
		Last Calibrated:	10/21/2019
GS1-128 Content: Fail: X No leading Function 1			
Number of scans:		10	
Code Type:		Code 128 43 bars + spaces. X dim=0.0222"	
Average Grade (Pass=1.5):		F (0.0) - Fail (0.0/10/660)	
Average Bar Gain (tolerance):		6% (± 33.0%)	
Check Character:		OK (61)	

	Pass Scans	Fail Scans
Structure	1..4, 9-10	5..8
Left Margin	1..10	
Right Margin	6..8	1..5, 9-10

	Percentage Values	Average Grades
Minimum Reflectance	6%	A (4.0)
Maximum Reflectance	72%	
Threshold	39%	
Symbol Contrast	65%	A (3.7)
Min. Edge Contrast	47%	A (4.0)
Modulation	71%	A (3.7)
Defects	11%	A (3.9)
Decodability	18%	F (0.3)
Decode		F (0.0)



Dimensional Analysis



	Decodability	Char. Width	Sum of bars	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge	Edge-Edge
LM	2737 (2235)								
StartC	63.9%	2508	1427 (1368)	725 (684)	465 (456)	661 (684)	1119 (1140)		
91	83.2%	2473	1816 (1798)	1123 (1124)	667 (674)	689 (674)	655 (674)		
09	57.3%	2381	931 (865)	897 (865)	657 (649)	688 (649)	695 (649)		
46	78.8%	2490	1367 (1358)	430 (453)	929 (906)	1363 (1358)	1130 (1132)		
56	80.3%	2464	1372 (1343)	1328 (1343)	907 (895)	470 (447)	693 (671)		
61	23.5%	2397	928 (871)	922 (871)	676 (653)	1006 (1089)	1019 (1089)		
Stop	18.3%	2941	1618 (1809)	1213 (1131)	1330 (1357)	812 (905)	461 (452)	462 (452)	567 (678)
RM	1994 (2202)								