

Date: 12/12/2025 9:17 AM **Total Pallets:** **Print Sort:** Bin Location
Total Orders: 10 **Total Cartons:** 49 **Total Pick Labels:** 400
Picker: **Pick Date:** **Batch No.:** B20251212091711
Zone: **Total Item Qty:** 402 **Pick Type:** FC
Bin Category: **Conveyable:** **Schedule Ship Date:** 12/12/2025
Lift Type: **Rework:** N **Expedite:** True

Cust. Specific Attr.: **Individual:**
Consolidated: No **Smart Picking:** No
Pick List No.: B20251212091711FC001



Item No.	Description	Rev.	Rev. Desc.	Kit Item No.	Loc.	Bin Loc.	Qty to Pick
PV300	Image Processor with Screen				GA2	BB48-02A	2
PU3033A-S	7.5Fr Ureteroscope, Standard Deflection				GA2	BB40-01A	10
AB01	Bracket				GA2	BA44-01A	2
TR700 2 OF 2	Mobile Cart (2 of 2)				GA2	BA56-01A	1
PU3033A-S	7.5Fr Ureteroscope, Standard Deflection				GA2	BB50-02B	40
PC200-AS	Single Use Cystoscope - Standard Deflection				GA2	BB36-02C	170
PC200-AS	Single Use Cystoscope - Standard Deflection				GA2	BB36-02D	100
PU3033AH-S	7.5Fr Ureteroscope, DISS, Standard Deflection				GA2	BB37-01B	10
PC200-AR	Single Use Cystoscope - Reverse Deflection				GA2	BA30-01C	60
TR700 1 OF 2	Mobile Cart (1 of 2)				GA2	BA55-01B	1
E190DH1	19" Monitor				GA2	BA55-01C	2
TR700 1 OF 2	Mobile Cart (1 of 2)				GA2	BA55-02B	1
TR700 2 OF 2	Mobile Cart (2 of 2)				GA2	BA56-01B	1

Date: 12/12/2025 9:17 AM **Total Pallets:** **Print Sort:** Bin Location
Total Orders: 10 **Total Cartons:** **Total Pick Labels:** 2
Picker: **Pick Date:** **Batch No.:** B20251212091711
Zone: **Total Item Qty:** 402 **Pick Type:** NFC
Bin Category: **Conveyable:** **Schedule Ship Date:** 12/12/2025
Lift Type: **Rework:** N **Expedite:** True
Cust. Specific Attr.: **Individual:**
Consolidated: Yes **Smart Picking:** No
Pick List No.: B20251212091711NFC001



Item No.	Description	Rev.	Rev. Desc.	Kit Item No.	Loc.	Bin Loc.	Qty to Pick
AC01	Accesory Cable				GA2	BA34-01A	2