

Date: 5/6/2026 **Time:** 3:00 AM **Print Sort:** Bin Location
Total Orders: 6 **Total Cartons:** 22 **Total Pick Labels:** 230
Picker: **Pick Date:** **Batch No.:** B20260506030051
Zone: **Total Item Qty:** 230 **Pick Type:** FC
Bin Category: **Conveyable:** **Schedule Ship Date:** 5/5/2026
Lift Type: **Rework:** N **Expedite:** True

Cust. Specific Attr.: **Individual:**

Consolidated: No

Pick List No.: B20260506030051FC001



| Item No. | Description | Rev. | Rev. Desc. | Kit Item No. | Loc. | Bin Loc. | Qty to Pick |
|-----------|---------------------------------------------|------|------------|--------------|------|----------|-------------|
| PC200-AR | Single Use Cystoscope - Reverse Deflection | | | | GA2 | BA37-01A | 30 |
| PU3033A-R | 7.5Fr Ureteroscope, Reverse Deflection | | | | GA2 | BA40-01A | 10 |
| PGA | Single use grasping forceps | | | | GA2 | BB44-02C | 20 |
| PC200-AS | Single Use Cystoscope - Standard Deflection | | | | GA2 | BB37-01D | 110 |
| PC200-AR | Single Use Cystoscope - Reverse Deflection | | | | GA2 | BA33-02C | 60 |