



**Date:** 3/18/2026      **Time:** 3:00 AM      **Print Sort:** Bin Location  
**Total Orders:** 7      **Total Cartons:** 13      **Total Pick Labels:** 112  
**Picker:**      **Pick Date:**      **Batch No.:** B20260318030051  
**Zone:**      **Total Item Qty:** 112      **Pick Type:** FC  
**Bin Category:**      **Conveyable:**      **Schedule Ship Date:** 3/17/2026  
**Lift Type:**      **Rework:** N      **Expedite:** True

**Cust. Specific Attr.:**      **Individual:**  
**Consolidated:** No  
**Pick List No.:** B20260318030051FC001



Item No.	Description	Rev.	Rev. Desc.	Kit Item No.	Loc.	Bin Loc.	Qty to Pick
PV300	Image Processor with Screen				GA2	BB48-02A	2
PU3033AH-S	7.5Fr Ureteroscope, DISS, Standard Deflection				GA2	BB42-02A	20
PU3033AH-R	7.5Fr Ureteroscope, DISS, Reverse Deflection				GA2	BA32-02A	10
PC200-AR	Single Use Cystoscope - Reverse Deflection				GA2	BA31-02C	60
PU400A-R	9.2Fr Ureteroscope, DISS, Reverse Deflection				GA2	BA44-02C	20



SO6617

**Order No.:** SO6617

**Order Date:** 3/17/2026

**From:**

Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth, GA 31407

**Retail Order No.:** 578- W64406

**Ship To:**

Lake City VA Medical Center  
619 S Marion Ave  
Wendy Miller / 4Th Floor  
Lake City, FL 32025

**Shipping Method:**

FedEx Ground

Item No.	DESCRIPTION	QTY.
PU3033AH-R	7.5Fr Ureteroscope, DISS, Reverse Deflection	10
PV300	Image Processor with Screen	1

# PACKING LIST ENCLOSED

FROM: (000) 000-0000  
Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth GA 31407  
US

SHIP DATE: 19/MAR/26  
ACTWTGT: 7.00 LB  
CAD: 264629530F AP2208  
DIMMED: 13 X 11 X 9 IN  
BILL SENDER

TO Lake City VA Medical Center  
Lake City VA Medical Center  
619 S Marion Ave  
Wendy Miller / 4th floor  
Lake City FL 32025  
18888798790  
INV: PV300  
PO: 578-W64406

REF: PU-S06617  
DEPT:

(US)



FedEx  
Ground




1 of 2

TRK# 8897 2992 9178

## MASTER ##

DSR  
32025

9632 0015 2 (000 000 0000) 0 00 8897 2992 9178



CUSTOMER PACKING LIST ON REVERSE SIDE

**FC** FEG  
Order: 301010 PV300  
Date: 3/17/2026 PV300  
Zone: PUSEN  
Stk Loc: BB48-02A  
Carton Qty: 1  
PL #: B20260318030051FC001  
ID: 60892362

Shipping Instruction:  
Schedule Ship Date: 3/17/2026



SO6618

**Order No.:** SO6618

**Order Date:** 3/17/2026

**From:**

Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth, GA 31407

**Retail Order No.:** 573-U64368

**Ship To:**

Lake City VA Medical Center  
619 S Marion Ave  
Wendy Miller / 4Th Floor  
Lake City, FL 32025

**Shipping Method:**

FedEx Ground

Item No.	DESCRIPTION	QTY.
PU400A-R	9.2Fr Ureteroscope, DISS, Reverse Deflection	10
PV300	Image Processor with Screen	1

# PACKING LIST ENCLOSED

FROM: (000) 000-0000  
Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth GA 31407  
US

SHIP DATE: 19/MAR/26  
ACTWTGT: 7.00 LB  
CAD: 264629530F AP2208  
DIMMED: 13 X 11 X 9 IN  
BILL SENDER

TO Lake City VA Medical Center  
Lake City VA Medical Center  
619 S Marion Ave  
Wendy Miller / 4th floor  
Lake City FL 32025  
18888798790  
INV: PV300  
PO: 573-UG4368

(US)

REF: PU-S06618  
DEPT:



FedEx  
Ground




1 of 2

TRK# 8897 2992 9649

## MASTER ##

DSR  
32025

9632 0015 2 (000 000 0000) 0 00 8897 2992 9649



CUSTOMER PACKING LIST ON REVERSE SIDE

**FC** FEG  
Order: 301011 PV300  
Date: 3/17/2026 PV300  
Zone: PUSEN  
Stk Loc: BB48-02A  
Carton Qty: 1  
PL #: B20260318030051FC001  
ID: 60892363

Shipping Instruction:  
Schedule Ship Date: 3/17/2026



SO6628

**Order No.:** SO6628

**Order Date:** 3/17/2026

**From:**

Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth, GA 31407

**Retail Order No.:** 151260299

**Ship To:**

MCR OR Storeroom  
2500 Rocky Mountain Ave  
Loveland, CO 80538

**Shipping Method:**

FedEx Ground

Item No.	DESCRIPTION	QTY.
PU3033AH-S	7.5Fr Ureteroscope, DISS, Standard Deflection	10

# PACKING LIST ENCLOSED

FROM: (000) 000-0000  
Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth GA 31407  
US

SHIP DATE: 19/MAR/26  
ACTWTGT: 19.00 LB  
CAD: 264629530F AP2208  
DIMMED: 39 X 12 X 11 IN  
BILL 3rd PARTY

TO MCR OR Storeroom  
Receiving Dock  
2500 Rocky Mountain Ave

Loveland CO 80538  
18888798790  
INV: PU3033AH-S  
PO: 151260299

(US)

REF: PU-S06628

DEPT:




FedEx  
Ground



TRK# 8897 2993 0220

DSR  
80538

9632 0418 0 (000 000 0000) 0 00 8897 2993 0220



CUSTOMER PACKING LIST ON REVERSE SIDE

**FC**

**FEG**

Order: 301044

PU3033AH-S

Date: 3/17/2026

PU3033AH-S

Zone: PUSEN

Stk Loc: BB42-02A

Carton Qty: 10

PL #: B20260318030051FC001

ID: 60892322/60892323/60892324/60892325/6089  
2326/60892327/60892328/60892329/60892330

Shipping Instruction:  
Schedule Ship Date: 3/17/2026



SO6629

**Order No.:** SO6629

**Order Date:** 3/17/2026

**From:**

Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth, GA 31407

**Retail Order No.:** 0000008052

**Ship To:**

Surgical Center For Urology  
180 N Park Trail  
Ste. 200  
Stockbridge, GA 30281

**Shipping Method:**

UPS Ground

Item No.	DESCRIPTION	QTY.
PU3033AH-S	7.5Fr Ureteroscope, DISS, Standard Deflection	10

**PACKING LIST ENCLOSED**


PUSEN USA FULFILLMENT CENTER  
000-000-0000  
311 INTERNATIONAL TRADE PKWY  
PORT WENTWORTH GA 31407

**19 LBS**

**1 OF 1**

DWT: 39,12,11

**SHIP TO:**  
1-888-879-8790  
SURGICAL CENTER FOR UROLOGY  
STE. 200  
180 N PARK TRAIL  
**STOCKBRIDGE GA 30281**



**GA 305 9-06**



**UPS GROUND**

TRACKING #: 1Z 871 R94 03 9601 6570



BILLING: 3RD PARTY

Reference No.1: 0000008052  
Reference No.2: PU3033AH-S  
XOL26.05.05

NV45 12.0A.03/2026\*



**CUSTOMER PACKING LIST ON REVERSE SIDE**

**FC**

UPS

Order: 301050

PU3033AH-S

Date: 3/17/2026

PU3033AH-S

Zone: PUSEN

Stk Loc: BB42-02A

Carton Qty:10

PL #: B20260318030051FC001

ID: 60892332/60892333/60892334/60892335/6089  
2336/60892337/60892338/60892339/60892340

Shipping Instruction:  
Schedule Ship Date: 3/17/2026



SO6617

**Order No.:** SO6617

**Order Date:** 3/17/2026

**From:**

Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth, GA 31407

**Retail Order No.:** 578- W64406

**Ship To:**

Lake City VA Medical Center  
619 S Marion Ave  
Wendy Miller / 4Th Floor  
Lake City, FL 32025

**Shipping Method:**

FedEx Ground

Item No.	DESCRIPTION	QTY.
PU3033AH-R	7.5Fr Ureteroscope, DISS, Reverse Deflection	10
PV300	Image Processor with Screen	1


# PACKING LIST ENCLOSED

FROM: (000) 000-0000  
Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth GA 31407  
US

SHIP DATE: 19/MAR/26  
ACTWTGT: 19.00 LB  
CAD: 264629530F AP2208  
DIMMED: 39 X 12 X 11 IN  
BILL SENDER

TO Lake City VA Medical Center  
Lake City VA Medical Center  
619 S Marion Ave  
Wendy Miller / 4th floor  
Lake City FL 32025  
18888798790  
INV: PU3033AH-R  
PO: 578-W64406


REF: PU-S06617  
DEPT:



2 of 2  
MPS# 8897 2992 9189  
Mstr# 8897 2992 9178

DSR  
32025

9632 0015 2 (000 000 0000) 0 00 8897 2992 9189



CUSTOMER PACKING LIST ON REVERSE SIDE

**FC**

FEG

Order: 301010 PU3033AH-R  
Date: 3/17/2026 PU3033AH-R  
Zone: PUSEN  
Stk Loc: BA32-02A

Carton Qty: 10

PL #: B20260318030051FC001

ID: 60892312/60892313/60892314/60892315/6089  
2316/60892317/60892318/60892319/60892320

Shipping Instruction:  
Schedule Ship Date: 3/17/2026



SO6616

**Order No.:** SO6616

**Order Date:** 3/17/2026

**From:**

Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth, GA 31407

**Retail Order No.:** SOL-193799

**Ship To:**

IMP-AUC-CENTEREACH  
23 S HOWELL AVE  
SUITE K  
Centereach, NY 11720-4445

**Shipping Method:**

FedEx Ground

Item No.	DESCRIPTION	QTY.
PC200-AR	Single Use Cystoscope - Reverse Deflection	20

# PACKING LIST ENCLOSED

FROM: (000) 000-0000  
Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth GA 31407  
US

SHIP DATE: 19/MAR/26  
ACTWGT: 9.00 LB  
CAD: 264629530F AP2208  
DIMMED: 29 X 11 X 6 IN  
BILL SENDER

TO IMP-AUC-CENTEREACH  
IMP-AUC-CENTEREACH  
23 S HOWELL AVE  
SUITE K

Centerach NY 11720  
1888798790  
INV: PC200-AR  
PO: SOL-193799

REF: PU-S06616  
DEPT:

(US)



FedEx  
Ground




1 of 2

TRK# 8897 2992 8480

## MASTER ##

DSR  
11720

9632 0015 2 (000 000 0000) 0 00 8897 2992 8480



CUSTOMER PACKING LIST ON REVERSE SIDE

**FC**

FEG

Order: 301009 PC200-AR

Date: 3/17/2026 PC200-AR

Zone: PUSEN

Stk Loc: BA31-02C

Carton Qty: 10

PL #: B20260318030051FC001

ID: 60892252/60892253/60892254/60892255/6089  
2256/60892257/60892258/60892259/60892260

Shipping Instruction:  
Schedule Ship Date: 3/17/2026



SO6616

**Order No.:** SO6616

**Order Date:** 3/17/2026

**From:**

Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth, GA 31407

**Retail Order No.:** SOL-193799

**Ship To:**

IMP-AUC-CENTEREACH  
23 S HOWELL AVE  
SUITE K  
Centereach, NY 11720-4445

**Shipping Method:**

FedEx Ground

Item No.	DESCRIPTION	QTY.
PC200-AR	Single Use Cystoscope - Reverse Deflection	20

# PACKING LIST ENCLOSED

FROM: (000) 000-0000  
Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth GA 31407  
US

SHIP DATE: 19/MAR/26  
ACTWGT: 9.00 LB  
CAD: 264629530F AP2208  
DIMMED: 29 X 11 X 6 IN  
BILL SENDER

TO IMP-AUC-CENTEREACH  
IMP-AUC-CENTEREACH  
23 S HOWELL AVE  
SUITE K

Centerach NY 11720  
18888798790  
INV: PC200-AR  
PO: SOL-193799

REF: PU-S06616  
DEPT:

(US)



FedEx  
Ground




2 of 2

MPS# 8897 2992 8491

Mstr# 8897 2992 8480

DSR  
11720

9632 0015 2 (000 000 0000) 0 00 8897 2992 8491



CUSTOMER PACKING LIST ON REVERSE SIDE

**FC**

**FEG**

Order: 301009

PC200-AR

Date: 3/17/2026

PC200-AR

Zone: PUSEN

Stk Loc: BA31-02C

Carton Qty: 10

PL #: B20260318030051FC001

ID: 60892262/60892263/60892264/60892265/6089  
2266/60892267/60892268/60892269/60892270

Shipping Instruction:  
Schedule Ship Date: 3/17/2026



SO6622

**Order No.:** SO6622

**Order Date:** 3/17/2026

**From:**

Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth, GA 31407

**Retail Order No.:** SOL-193877

**Ship To:**

LUC4-St.Andrews Urology  
641 St. Andrews Blvd  
Charleston, SC 29407

**Shipping Method:**

FedEx Ground

Item No.	DESCRIPTION	QTY.
PC200-AR	Single Use Cystoscope - Reverse Deflection	40

# PACKING LIST ENCLOSED

FROM: (000) 000-0000  
Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth GA 31407  
US

SHIP DATE: 19/MAR/26  
ACTWTGT: 9.00 LB  
CAD: 264629530F AP2208  
DIMMED: 29 X 11 X 6 IN  
BILL SENDER

TO LUC4-St.Andrews Urology  
LUC4-St.Andrews Urology  
641 St. Andrews Blvd

Charleston SC 29407  
18888798790  
INV: PC200-AR  
PO: SOL-19387Z

REF: PU-S0662Z  
DEPT:

(US)



FedEx  
Ground




1 of 4

TRK# 8897 2993 0263  
## MASTER ##

DSR  
29407

9632 0015 2 (000 000 0000) 0 00 8897 2993 0263



CUSTOMER PACKING LIST ON REVERSE SIDE

**FC**

FEG

Order: 301038 PC200-AR

Date: 3/17/2026 PC200-AR

Zone: PUSEN

Stk Loc: BA31-02C

Carton Qty:10

PL #: B20260318030051FC001

ID: 60892272/60892273/60892274/60892275/6089  
2276/60892277/60892278/60892279/60892280

Shipping Instruction:  
Schedule Ship Date: 3/17/2026



SO6622

**Order No.:** SO6622

**Order Date:** 3/17/2026

**From:**

Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth, GA 31407

**Retail Order No.:** SOL-193877

**Ship To:**

LUC4-St.Andrews Urology  
641 St. Andrews Blvd  
Charleston, SC 29407

**Shipping Method:**

FedEx Ground

Item No.	DESCRIPTION	QTY.
PC200-AR	Single Use Cystoscope - Reverse Deflection	40

# PACKING LIST ENCLOSED

FROM: (000) 000-0000  
Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth GA 31407  
US

SHIP DATE: 19/MAR/26  
ACTWTGT: 9.00 LB  
CAD: 264629530F AP2208  
DIMMED: 29 X 11 X 6 IN  
BILL SENDER

TO LUC4-St.Andrews Urology  
LUC4-St.Andrews Urology  
641 St. Andrews Blvd

Charleston SC 29407

18888798790

INV: PC200-AR

PO: SOL-19387Z

REF: PU-S0662Z

DEPT:

(US)



FedEx  
Ground




3 of 4

MPS# 8897 2993 0285

Mstr# 8897 2993 0263

DSR  
29407

9632 0015 2 (000 000 0000) 0 00 8897 2993 0285



CUSTOMER PACKING LIST ON REVERSE SIDE

**FC**

**FEG**

Order: 301038

PC200-AR

Date: 3/17/2026

PC200-AR

Zone: PUSEN

Stk Loc: BA31-02C

Carton Qty: 10

PL #: B20260318030051FC001

ID: 60892282/60892283/60892284/60892285/6089  
2286/60892287/60892288/60892289/60892290

Shipping Instruction:  
Schedule Ship Date: 3/17/2026



SO6622

**Order No.:** SO6622

**Order Date:** 3/17/2026

**From:**

Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth, GA 31407

**Retail Order No.:** SOL-193877

**Ship To:**

LUC4-St.Andrews Urology  
641 St. Andrews Blvd  
Charleston, SC 29407

**Shipping Method:**

FedEx Ground

Item No.	DESCRIPTION	QTY.
PC200-AR	Single Use Cystoscope - Reverse Deflection	40

# PACKING LIST ENCLOSED

FROM: (000) 000-0000  
Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth GA 31407  
US

SHIP DATE: 19/MAR/26  
ACTWTGT: 9.00 LB  
CAD: 264629530F AP2208  
DIMMED: 29 X 11 X 6 IN  
BILL SENDER

TO LUC4-St.Andrews Urology  
LUC4-St.Andrews Urology  
641 St. Andrews Blvd

Charleston SC 29407

18888798790

INV: PC200-AR

PO: SOL-19387Z

REF: PU-S0662Z

DEPT:

(US)



FedEx  
Ground




4 of 4

MPS# 8897 2993 0296

Mstr# 8897 2993 0263

DSR  
29407

9632 0015 2 (000 000 0000) 0 00 8897 2993 0296



CUSTOMER PACKING LIST ON REVERSE SIDE

**FC**

**FEG**

Order: 301038

PC200-AR

Date: 3/17/2026

PC200-AR

Zone: PUSEN

Stk Loc: BA31-02C

Carton Qty: 10

PL #: B20260318030051FC001

ID: 60892292/60892293/60892294/60892295/6089  
2296/60892297/60892298/60892299/60892300

Shipping Instruction:  
Schedule Ship Date: 3/17/2026



SO6622

**Order No.:** SO6622

**Order Date:** 3/17/2026

**From:**

Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth, GA 31407

**Retail Order No.:** SOL-193877

**Ship To:**

LUC4-St.Andrews Urology  
641 St. Andrews Blvd  
Charleston, SC 29407

**Shipping Method:**

FedEx Ground

Item No.	DESCRIPTION	QTY.
PC200-AR	Single Use Cystoscope - Reverse Deflection	40

# PACKING LIST ENCLOSED

FROM: (000) 000-0000  
Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth GA 31407  
US

SHIP DATE: 19/MAR/26  
ACTWTGT: 9.00 LB  
CAD: 264629530F AP2208  
DIMMED: 29 X 11 X 6 IN  
BILL SENDER

TO LUC4-St.Andrews Urology  
LUC4-St.Andrews Urology  
641 St. Andrews Blvd

Charleston SC 29407

18888798790

INV: PC200-AR

PO: SOL-19387Z

REF: PU-S0662Z

DEPT:

(US)



FedEx  
Ground




2 of 4

MPS# 8897 2993 0274

Mstr# 8897 2993 0263

DSR  
29407

9632 0015 2 (000 000 0000) 0 00 8897 2993 0274



CUSTOMER PACKING LIST ON REVERSE SIDE

**FC**

**FEG**

Order: 301038

PC200-AR

Date: 3/17/2026

PC200-AR

Zone: PUSEN

Stk Loc: BA31-02C

Carton Qty: 10

PL #: B20260318030051FC001

ID: 60892302/60892303/60892304/60892305/6089  
2306/60892307/60892308/60892309/60892310

Shipping Instruction:  
Schedule Ship Date: 3/17/2026



SO6618

**Order No.:** SO6618

**Order Date:** 3/17/2026

**From:**

Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth, GA 31407

**Retail Order No.:** 573-U64368

**Ship To:**

Lake City VA Medical Center  
619 S Marion Ave  
Wendy Miller / 4Th Floor  
Lake City, FL 32025

**Shipping Method:**

FedEx Ground

Item No.	DESCRIPTION	QTY.
PU400A-R	9.2Fr Ureteroscope, DISS, Reverse Deflection	10
PV300	Image Processor with Screen	1

# PACKING LIST ENCLOSED

FROM: (000) 000-0000  
Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth GA 31407  
US

SHIP DATE: 19/MAR/26  
ACTWTGT: 19.00 LB  
CAD: 264629530F AP2208  
DIMMED: 39 X 12 X 11 IN  
BILL SENDER

TO Lake City VA Medical Center  
Lake City VA Medical Center  
619 S Marion Ave  
Wendy Miller / 4th floor  
Lake City FL 32025  
18888798790  
INV: PU400A-R  
PO: 573-US4368

REF: PU-S06618  
DEPT:

(US)



FedEx  
Ground




2 of 2

MPS# 8897 2992 9650

Mstr# 8897 2992 9649

DSR  
32025

9632 0015 2 (000 000 0000) 0 00 8897 2992 9650



CUSTOMER PACKING LIST ON REVERSE SIDE

**FC**

**FEG**

Order: 301011

PU400A-R

Date: 3/17/2026

PU400A-R

Zone: PUSEN

Stk Loc: BA44-02C

Carton Qty: 10

PL #: B20260318030051FC001

ID: 60892352/60892353/60892354/60892355/6089  
2356/60892357/60892358/60892359/60892360

Shipping Instruction:  
Schedule Ship Date: 3/17/2026



SO6613

**Order No.:** SO6613

**Order Date:** 3/17/2026

**From:**

Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth, GA 31407

**Retail Order No.:** 52011

**Ship To:**

CCM Health- Shipping  
824 NORTH 11TH STREET  
MONTEVIDEO, MN 56265

**Shipping Method:**

FedEx Ground

Item No.	DESCRIPTION	QTY.
PU400A-R	9.2Fr Ureteroscope, DISS, Reverse Deflection	10

# PACKING LIST ENCLOSED

FROM: (000) 000-0000  
Pusen USA Fulfillment Center  
311 International Trade Pkwy  
Port Wentworth GA 31407  
US

SHIP DATE: 19/MAR/26  
ACTWGT: 19.00 LB  
CAD: 264629530F AP02208  
DIMMED: 39 X 12 X 11 IN  
BILL 3rd PARTY

TO CCM Health- Shipping  
CCM Health- Shipping  
824 NORTH 11TH STREET

MONTEVIDEO MN 56265  
18888798790  
INV: PU400A-R  
PO: 52011

(US)

REF: PU-S06613  
DEPT:




FedEx  
Ground



TRK# 8897 2992 6065

DSR  
56265

9632 0418 0 (000 000 0000) 0 00 8897 2992 6065



CUSTOMER PACKING LIST ON REVERSE SIDE

**FC**

**FEG**

Order: 300999 PU400A-R

Date: 3/17/2026 PU400A-R

Zone: PUSEN

Stk Loc: BA44-02C

Carton Qty: 10

PL #: B20260318030051FC001

ID: 60892342/60892343/60892344/60892345/6089  
2346/60892347/60892348/60892349/60892350

Shipping Instruction:  
Schedule Ship Date: 3/17/2026